## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

 (Currently Amended) A method, in a data processing system, for code reusability and maintainability, the method comprising:

providing a utility class in a server, wherein the utility class [[that]] defines a utility method; responsive to receiving a request at the server for attributes for an entity from a client, generating a method call for the utility method, wherein the method call identifies the entity and a response object name:

generating a response object and assigning the response object name to the response object; and returning the response object to the client.

- (Canceled)
- 3. (Original) The method of claim 1, wherein the request is an extensible markup language request.
- (Original) The method of claim 3, wherein the extensible markup language request is one of a list request and a get request.
- (Currently Amended) The method of claim 1, further comprising: retrieving, by the utility method, at least one data item for the method call and the identified entity.

wherein the response object include includes the at least one data item.

- (Original) The method of claim 5, wherein the step of retrieving at least one data item includes retrieving the at least one data item from a database.
- 7. (Original) The method of claim 6, wherein the at least one data item is retrieved from the database through a structured query language interface.
- 8. (Original) The method of claim 5, wherein the request includes a list of attributes.

- 9. (Original) The method of claim 8, wherein the at least one data item includes a set of attributes for the entity, wherein the set of attributes corresponds to the list of attributes.
- 10. (Original) The method of claim 9, wherein the list of attributes is an empty string.
- (Original) The method of claim 10, wherein the set of attributes includes all attributes for the
  entity.
- 12. (Original) The method of claim 1, wherein the response object is an extensible markup language document.
- (Currently Amended) An apparatus, in a data processing system, for code reusability and maintainability, the apparatus comprising:
  - a utility class, wherein the utility class [[that]] defines a utility method;
- a program interface, wherein the program interface, responsive to receiving a request for attributes for an entity from a client, generates a method call for the utility method, wherein the method call identifies the entity and a response object name:
- wherein the program interface generates a response object and assigns the response object name to the response object; and
  - wherein the program interface returns the response object to the client.
- 14. (Original) The apparatus of claim 13, wherein the client includes an extensible markup language interface and wherein the request is an extensible markup language request.
- 15. (Currently Amended) The apparatus of claim 13, wherein the utility method retrieves at least one data item for the method call and the identified entity and wherein the response object include the at least one data item.
- 16. (Original) The apparatus of claim 15, wherein the utility method retrieves the at least one data item from a database.
- 17. (Original) The apparatus of claim 15, wherein the request includes a list of attributes.

- 18. (Original) The apparatus of claim 17, wherein the at least one data item includes a set of attributes for the entity, wherein the set of attributes corresponds to the list of attributes.
- 19. (Original) The apparatus of claim 18, wherein the list of attributes is an empty string.
- (Original) The apparatus of claim 19, wherein the set of attributes includes all attributes for the
  entity.
- 21. (Original) The apparatus of claim 13, wherein the response object is an extensible markup language document.
- (Currently Amended) A computer program product, in a computer readable <u>physical storage</u> medium, for code reusability and maintainability, the computer program product comprising: instructions, in a utility class, for defining a utility method:

instructions, responsive to receiving a request at [[the]] a server for attributes for an entity from a client, for generating a method call for the utility method, wherein the method call identifies the entity and a response object name:

instructions for generating a response object and assigning the response object name to the response object; and

instructions for returning the response object to the client.

23. (New) The method of claim 1, wherein the server is located at a first computer system, wherein the client is located at a second computer system, and wherein the first computer system is separate from the second computer system.